



LEGACY CORKSCREW

Manual

Manual includes: Assembling your Legacy Stand, attaching your corkscrew to the stand, and opening a bottle with step-by-step instructions.

ASSEMBLE LEGACY STAND

To assemble the legacy stand:

1. Lay base on table so that the side with the pre drilled holes is facing up
2. Position the side of the stand that has 4 pre drilled holes in groove at the bottom of the base, so that it aligns with the base's 4 pre drilled holes
3. Use a screw driver (not provided) and 4 screws (provided) to secure the stand and base

ALIGN STAND WITH BASE



SECURED STAND



ASSEMBLED STAND



CONTINUED ON NEXT PAGE...

ATTACH LEGACY CORKSCREW TO STAND

To attached the legacy corkscrew to the assembled stand:

1. Take the two black squares – Mat A is foam with adhesive backing. Mat B is a rubber mat

MAT A



MAT B



2. Turn screw on the legacy corkscrew clockwise to create a gap wide enough to apply mats on the inner clamps



3. Peel paper off of Mat A and stick on the inside of the upper legacy clamp



CONTINUED ON NEXT PAGE...

4. Place Mat B on the inside of lower legacy clamp



5. Place corkscrew on stand and turn screw counter clockwise until you cannot turn it anymore. Once this is done, set up is complete!



CONTINUED ON NEXT PAGE...

OPENING A BOTTLE



1. Make sure handle is placed all the way to the back of the opener (“down position”)



2. Place neck of bottle as far up between clamps as possible. Squeeze clamp firmly to hold bottle in place



3. Rotate handle completely forward to remove cork from the bottle



4. To release cork, reposition handle all the way to the back of the opener (“down position”)- the cork will drop into your hand”